


About Us

Founded in 2011 as a supplier of industrial kitchen equipment in Erbil city North Iraq, CLASSDECOR is now serving in a factory that produces on a 1000 m² indoor area which is equipped with the latest technology. And showrooms in Erbil and Sulaymaniyah cities 500m² for each, CLASSDECOR is a strong industrial pioneer that breaks grounds in industrial kitchen sector. The quick steps we took for becoming a national brand helped us to succeed this in a short-term, as well as spread Iraq's prestige in industrial kitchen sector to all around the country. As a result, CLASSDECOR has a suppling and production volume that includes 19 cities now, which makes us one of the known industrial enterprises in Iraq.

Classdecor provides design, production and service support of all processes from the project design, to installation over thousand product groups such as storing, preparing, cooking, handling and service equipment in the field of industrial kitchen sector including hotel, restaurant, cafe, patisserie, hospital, schools, construction sites, camps and factories. Notably devices and products which are provided by Classdecor, are certified by international certification centers by making their tests both in the scope of the company and in laboratories from external sources. It has certificated for more than 2000 products and product groups which shall be valid in national and export markets about sales of those products to international market. Some of those certificates are; CE, SGS. Classdecor, also hold ISO 9001 Quality System Certificate.



Our Certificates







STAINLESS STEEL CHARACTERISTICS

Stainless steel is the name of a family of iron-based alloys known for their corrosion and heat resistance. One of the main characteristics of stainless steel is its minimum chromium content of 10.5%, which gives it its superior resistance to corrosion in comparison to other types of steels. Like other steels, stainless steel is composed primarily from iron and carbon, but with the addition of several other alloying elements, the most prominent being chromium. Other common alloys found in stainless steel are nickel, magnesium, molybdenum, and nitrogen.



THE ADVANTEGES OF STAINLESS STEEL

Stainless steel is still the most widely used material in the design of equipment for professionals in hotels and the catering industry and, more generally, in all food processing activities, particularly in the professional catering sector. Indeed, its various characteristics give it considerable advantages: durability, solidity, easy cleaning.







Classic Cookers

معدات الطبخ الكلاسيكية



























Special production can be made according to your projects

Special production can be made according to your projects



Classic Cookers

معدات الطبخ الكلاسيكية







GOAR106085-2

mm

1000 x 600 x 850

























Classic Cookers معدات الطبخ الكلاسيكية


Classic Cookers معدات الطبخ الكلاسيكية


















14	طباخ غازي ذو اربع مشاعل Table Top Gas Range 4 Burner				
	CODE	DIMENSIONS			
		mm			
	MSOG-40374	570 x 68 x 200			

















Special production can be made according to your projects

Special production can be made according to your projects



Fastfood Cookers

اجهزة المأكولات السريعة



شو اية شاور ما غازية Doner Machine with Gas (Fixed)

CODE	DIMENSIONS	WEIGHT	MEAT CAPACITY	GAS CONSUMP.
	mm	Kg.	Kg.	m³/h
KLG-140-3	550x670x750	22	20-40	1,016
KLG-141-4	550x670x910	27	40-60	1,355
KLG-142-5	550x670x1075	32	60-80	1,694

- LPG and NG options available
- Safety valve automatically cuts off the gas to the radiant heaters that go out unexpectedly
- Side flaps are available as an option.



شواية شاورما غازية ذو محرك دوران سفلي Doner Machine with Gas (With Bottom Motor)

CODE	DIMENSIONS	WEIGHT	MEAT CAPACITY	GAS CONSUMP.
	mm	Kg.	Kg.	m^3 / h
KLG-150-3	550x715x900	35	20-40	1,016
KLG-151-4	550x715x1065	40	40-60	1,355
KLG-152-5	550x715x1230	45	60-80	1,694

- LPG and NG options available
- The motor can be controlled on the device itself.
- Adjust the distance to the meat.
- By tray fats can be easily remove.
- Safety valve automatically cuts off the gas
- Use of manuel motor in case of Power outages.
- Rotates in both directions.



- LPG and NG options available.
 The motor can be controlled on the device itself.
 Adjust the distance to the meat.
- Safety valve automatically cuts off the gas
- Use of manuel motor in case of Power outages.








CODE	DIMENSIONS	WEIGHT	MEAT CAPACITY	GAS CONSUMP.
	mm	Kg.	Kg.	m³/h
KLG 153-T 3+3	890 x 715 x 1065	75	40-80	2,033
KLG 224-T / 4 + 4	1000 x 715 x 1065	80	80-120	2,710
KLG 225-T / 5 + 5	1000 x 715 x 1230	85	120-160	3,388

- LPG and NG options available.
 The motor can be controlled on the device itself.
- Adjust the distance to the meat.
- By tray fats can be easily remove
- Safety valve automatically cuts off the gas
- Use of manuel motor in case of Power outages.
- Rotates in both directions.



CODE	DIMENSIONS	WEIGHT	MEAT CAPACITY	GAS CONSUMP.
	mm	Kg.	Kg.	m³/h
KLG - 223-V 3+3	550 x 715 x 1065	50	50-70	2,033
KLG - 224-V 4+4	750 x 800 x 1065	64	60-90	2,710
KLG - 225-V 5+5	750 x 800 x 1230	71	90-120	3,388
KLG - 226-V 6+6	750 x 800 x 1390	78	120-150	4,066

- Propan or Natural Gas(LPG)
- With safety valve
- Motor at bottom (Reversible Motor)
- Zoom hurners to doner meat
- Adjustable Sword (Skewer)
- AISI-310 S Cr-Ni Burner Cover





- LPG and NG options available.
- The motor can be controlled on the device itself.
- Adjust the distance to the meat.
- By tray fats can be easily remove
- Safety valve automatically cuts off the gas - Use of manuel motor in case of Power outages.
- Rotates in both directions.



CODE	DIMENSIONS	WEIGHT	MEAT CAPACITY	GAS CONSUMP.
	mm	Kg.	Kg.	m³/h
KLG-220-3	550x700x960	25	20-40	1,016
KLG-221-4	550x700x1120	30	40-60	1,355
KLG-222-5	550x700x1285	35	60-80	1,694

- By tray fats can be easily remove.
- Rotates in both directions.

8 | classdecorkitchen.com classdecorkitchen.com | 9



Other Ovens قسم الافران





فرن حجري غازي Pita Deck Ovens with Gas

MODEL	DIMENSIONS
	mm
CD.D1	1600 x 2000 x 1600
CD.D2	1800 x 2200 x 1600
CD.D4	1800 x 2400 x 1600
CD.D5	2000 x 2600 x 1600





Special production can be made according to your projects



فرن البطاطس غازي Potato Oven

MODEL	PRODUCT NAME	DIMENSIONS	POWER	CAPACITY
		mm	Kw	Pcs./h
KF-20E	Elect. Potato Oven - 2 Drawers	500 x 700 x 750	3	24-30
1KF-30E	Elect. Potato Oven - 3 Drawers	500 x 700 x 980	4,5	36-45
AKF-20G	Gas Potato Oven - 2 Drawers	500 x 700 x 950	4,9	24-30
1KF-30G	Gas Potato Oven - 3 Drawers	500 x 700 x 1200	4,9	36-45
	KF-20E KF-30E KF-20G	IKF-20E Elect. Potato Oven - 2 Drawers IKF-30E Elect. Potato Oven - 3 Drawers IKF-20G Gas Potato Oven - 2 Drawers	mm IKF-20E Elect. Potato Oven - 2 Drawers 500 x 700 x 750 IKF-30E Elect. Potato Oven - 3 Drawers 500 x 700 x 980 IKF-20G Gas Potato Oven - 2 Drawers 500 x 700 x 950	mm Kw KKF-20E Elect. Potato Oven - 2 Drawers 500 x 700 x 750 3 KKF-30E Elect. Potato Oven - 3 Drawers 500 x 700 x 980 4,5 KKF-20G Gas Potato Oven - 2 Drawers 500 x 700 x 950 4,9

KFE.020 - KFE.030 - KFE.020 - KFE.030

- Seperated resistance in each drawer.
- Duble insulated body.
- Thermostat controlled.
- Stainless steel drawers.
- KFG.020 KFG.030
- LPG or Naturel gas.
- Seperated burner in each drawer.
- Duble insulated body.
- Piezoelectric ignition system and safety valve.
- Stainless steel drawers.



فرن معجنات غازي Pastry Ovens With Gas

	MODEL	PRODUCT NAME	Capacity	POWER	ENERGY	DIMENSIONS
			Tray	kW		mm
()	SPBFG-7575	Pastry Ovens	5	10	LPG	750 x 750 x 1600
()	SPBFG-9090	Pastry Ovens	5	10	LPG	900 x 900 x 1600
(SPBFG-7516	Pastry Ovens	5	10	LPG	750 x 1000 x 1600
()	SPBFG-8016	Pastry Ovens	5	15	LPG	800 x 1000 x 1600
()	SPBFG-1010	Pastry Ovens	5	15	LPG	1000 x 1000 x 1600

- Outer body is made of AISI 304 Cr-Ni stainless steel.
- Oven block is designed to keep heat losy minimum.
- Easy to clean, hygenic body and ergonomical design.
- Unit enables to obtain the maximum efficiency with minimum energy consumption.



شواية كباب مع براد وهود Kebap Unit with refrigerator & Hood

KOD CODE	DIMENSIONS	Power	
	mm	kW / V	
CRE-3	2000 x 900 x 2400	0,5 / 220	
CRE-4	2500 x 900 x 2400	0,5 / 220	
CRE-5	2870 x 900 x 2400	0,5 / 220	

10 | classdecorkitchen.com classdecorkitchen.com | 11













شواية كباب مع هود Kebap Unit with Hood KOD CODE DIMENSIONS

1000 x 920 x 2350

CD-GRL-01





شواية الفحم مع مرشح Hood with Coal Grill

CODE	DIMENSIONS	WEIGHT
	mm	Kg.
60306102	1000x650x1150	32
60306152	1500x650x1150	42
60306202	2000x650x1150	52
60306252	2500x650x1150	65



CODE	DIMENSIONS	WEIGHT
	mm	Kg.
801092100	920x500x250	88
801142100	1420x500x250	116
801192100	1920x500x250	144
801242100	2420x500x250	165





CODE	DIMENSIONS	WEIGHT
		Kg.
801092100	Round - 500	20
801142100	V Type - 500	18



طاولة فرن البيتزا Pizza Oven Stands

Designed as disassembled It is solid and durable Brings the pizza ovens to the height to be used

ergonomically

Provides extra usage area thanks to the bottom table



Special production can be made according to your projects

classdecorkitchen.com | 13 12 | classdecorkitchen.com



Display Units وحدات العرض

Display Units وحدات العرض





براد لعرض المعجنات Pastry Display Refrigerator

MODEL	DIMENSIONS	DIMENSIONS	DIMENSIONS	DIMENSIONS
	mm		V	C°
Zambak-120	1220 x 900 x 1350	3	220	+2/+8
Zambak-160	1520 x 900 x 1350	3	220	+2/+8



براد لعرض المعجنات Pastry Display Refrigerator

MODEL	DIMENSIONS	DIMENSIONS	DIMENSIONS	DIMENSIONS
	mm		V	C°
Rüzgar-100	920 x 700 x 1240	3	220	+2 / +8
Rüzgar-120	1200 x 700 x 1240	3	220	+2 / +8



براد لعرض المعجنات Pastry Display Refrigerator

MODEL	DIMENSIONS	SHELF	POWER	WORKING TEMP
	mm		V	C°
P-01	1500 x 700 x 1300	3	220	+2 / +8
P-02	2000 x 700 x 1300	3	220	+2 / +8



عارضة براد Display Refrigerator

MODEL	DESCRIPTION	DIMENSIONS
		mm
STS-100	Display Unit / Open Front / 2 Shelves	1000 x 700 x 1600
STS-120	Display Unit / Open Front / 2 Shelves	1200 x 700 x 1600
STS-140	Display Unit / Open Front / 2 Shelves	1400 x 700 x 1600
STS-160	Display Unit / Open Front / 2 Shelves	1600 x 700 x 1600





عارضة براد Pastry Display Refrigerator

MODEL	DESCRIPTION	DIMENSIONS
		mm
KS100	Vertical Type	1000 x 730 x 1300
KS120	Vertical Type	1200 x 730 x 1300
KS140	Vertical Type	1400 x 730 x 1300
KS160	Vertical Type	1600 x 730 x 1300
KS180	Vertical Type	1800 x 730 x 1300
KS200	Vertical Type	2000 x 730 x 1300



Dishwasher Equipments

جلايات الاطباق

Dishwasher Equipments جلايات الاطباق





مجلى لغسل القدور Pot Washing Sink

MODEL	SIZE
	mm
EKN 070	700 x 700 x 570 / 91
EKN 080	800 x 800 x 570 / 91
EKN 100	1000 x 800 x 570 / 91
EKN 120	1200 x 800 x 570 / 91
EKN 140	1400 x 800 x 570 / 91



حوض غسل الخضروات Vegetable Sink

MODEL	SIZE
	mm
EHN 106	1000 x 600 x 850
EHN 146	1400 x 600 x 850
EHN 186	1800 x 600 x 850



طاولة التنظيف الاولي للاطباق Waste Peeling Tables

MODEL	SIZE
	mm
BSN 100	1000 x 750 x 850
BSN 120	1200 x 750 x 850
BSN 140	1400 x 750 x 850
BSN 160	1600 x 750 x 850
BSN 180	1800 x 750 x 850
BSN 200	2000 x 750 x 850
BSN 220	2200 x 750 x 850
BSN 240	2400 x 750 x 850



منضدة جلاية الاطباق (المدخل) Dishwasher Input Counter with Sink

ТҮРЕ	TABLE SIZE	SINK SIZE
	mm	mm
Input Counter Single Sink R/L	800 x 700 x 850	400 x 500 x 250
Input Counter Single Sink R/L	1000 x 700 x 850	400 x 500 x 250
Input Counter Single Sink R/L	1200 x 700 x 850	400 x 500 x 250
Input Counter Single Sink R/L	1400 x 700 x 850	400 x 500 x 250
Input Counter Single Sink R/L	1600 x 700 x 850	400 x 500 x 250



منضدة جلاية الاطباق (المخرج) Dishwasher Input / Output Counter

CODE	ТҮРЕ	TABLE SIZE
		mm
BTN 060	Input / Output Coounter	600 x 560 x 850
BTN 080	Input / Output Coounter	800 x 560 x 850
BTN 100	Input / Output Coounter	1000 x 560 x 850
BTN 120	Input / Output Coounter	1200 x 560 x 850
BTN 140	Input / Output Coounter	1400 x 560 x 850
BTN 160	Input / Output Coounter	1600 x 560 x 850





مناضد العمل



منضدة عمل Work Table Without Lower Shelf



CODE	DIMENSIONS
	mm
TCT 096	900 x 600 x 850
TCT 116	1100 x 600 x 850
TCT 146	1400 x 600 x 850
TCT 166	1600 x 600 x 850
TCT 196	1900 x 600 x 850
TCT 090	900 x 700 x 850
TCT 110	1100 x 700 x 850
TCT 140	1400 x 700 x 850
TCT 160	1600 x 700 x 850
TCT 190	1900 x 700 x 850



منضدة عمل ذات رف سفلي و وسطي Work Table / Lower And Intermediate Shelves

CODE	DIMENSIONS
	mm
TCA 096	900 x 600 x 850
TCA 116	1100 x 600 x 850
TCA 146	1400 x 600 x 850
TCA 166	1600 x 600 x 850
TCA 196	1900 x 600 x 850
TCA 090	900 x 700 x 850
TCA 110	1100 x 700 x 850
TCA 140	1400 x 700 x 850
TCA 160	1600 x 700 x 850
TCA 190	1900 x 700 x 850





CODE	DIMENSIONS
	mm
TCN 096	900 x 600 x 850
TCN 116	1100 x 600 x 850
TCN 146	1400 x 600 x 850
TCN 166	1600 x 600 x 850
TCN 196	1900 x 600 x 850
TCN 090	900 x 700 x 850
TCN 110	1100 x 700 x 850
TCN 140	1400 x 700 x 850
TCN 160	1600 x 700 x 850
TCN 190	1900 x 700 x 850



منضدة عمل ذات در ج Work Table / 4 Drawers / Lower Shelf

CODE	CODE	DIMENSIONS
		mm
TC4 146L	TC4 146R	1400 x 600 x 850
TC4 196L	TC4 196R	1900 x 600 x 850
TC4 140L	TC4 140R	1400 x 700 x 850
TC4 190L	TC4 190R	1900 x 700 x 850





CODE	CODE	DIMENSIONS
		mm
TCC 096L	TCC 096R	900 x 600 x 850
TCC 146L	TCC 146R	1400 x 600 x 850
TCC 196L	TCC 196R	1900 x 600 x 850
TCC 090L	TCC 090R	900 x 700 x 850
TCC 140L	TCC 140R	1400 x 700 x 850
TCC 190L	TCC 190R	1900 x 700 x 850
TCC 096L TCC 146L TCC 196L TCC 090L TCC 140L	TCC 096R TCC 146R TCC 196R TCC 090R TCC 140R	mm 900 x 600 x 850 1400 x 600 x 850 1900 x 600 x 850 900 x 700 x 850 1400 x 700 x 850



منضدة عمل ذات درج و رف سفلي و وسطي **Work Table / 4 Drawers**

CODE	CODE	DIMENSIONS
		mm
TCR 146L	TCR 146R	1400 x 600 x 850
TCR 196L	TCR 196R	1900 x 600 x 850
TCR 140L	TCR 140R	1400 x 700 x 850
TCR 190L	TCR 190R	1900 x 700 x 850

Special production can be made according to your projects

Special production can be made according to your projects



مناضد العمل





منضدة عمل ذات ابواب منزلقة Work Table / Cupboard

CODE	DIMENSIONS		
	mm		
CD-TCD 116	1100 x 600 x 850		
CD-TCD 146	1400 x 600 x 850		
CD-TCD 166	1600 x 600 x 850		
CD-TCD 196	1900 x 600 x 850		
CD-TCD 110	1100 x 700 x 850		
CD-TCD 140	1400 x 700 x 850		
CD-TCD 160	1600 x 700 x 850		
CD-TCD 190	1900 x 700 x 850		



منضدة عمل ذات سطح عاج Polyethylene Top Table

CODE	DIMENSIONS	
	mm	
CD-TPT 116	1000 x 600 x 850	
CD-TPT 146	1400 x 600 x 850	
CD-TPT 166	1600 x 600 x 850	
CD-TPT 196	2000 x 600 x 850	



منضدة عمل ذات ابواب منزلقة ورف وسطي Work Table / Cupboard Intermediate Shelf

CODE	DIMENSIONS		
	mm		
CD-TCS 116	1100 x 600 x 850		
CD-TCS 146	1400 x 600 x 850		
CD-TCS 166	1600 x 600 x 850		
CD-TCS 196	1900 x 600 x 850		
CD-TCS 110	1100 x 700 x 850		
CD-TCS 140	1400 x 700 x 850		
CD-TCS 160	1600 x 700 x 850		
CD-TCS 190	1900 x 700 x 850		



منضدة عمل ذات سطح عاج و رف سفلي Polyethylene Top Table Lower Shelf

CODE	DIMENSIONS	
	mm	
CD-TPN 116	1000 x 600 x 850	
CD-TPN 146	1400 x 600 x 850	
CD-TPN 166	1600 x 600 x 850	
CD-TPN 196	2000 x 600 x 850	



منضدة عمل ذات ابواب منزلقة / رف وسطي / درج | Work Table / Cupboard Intermediate Shelf / 4 Drawers

CODE	CODE	DIMENSIONS
		mm
CD-TCG 146L	TCG 146R	1400 x 600 x 850
CD-TCG 196L	TCG 196R	1900 x 600 x 850
CD-TCG 140L	TCG 140R	1400 x 700 x 850
CD-TCG 190L	TCG 190R	1900 x 700 x 850



بلوك التقطيع اللحوم والعضام Meat Chopping Block Polyethylene Top

CODE	DIMENSIONS
	mm
CD-TEP 066	600 x 600 x 850
CD-TEP 070	700 x 700 x 850

Special production can be made according to your projects

Special production can be made according to your projects



مناضد العمل





منضدة عمل ذات سطح عاج / رف سفلي / 4 درج Polyethylene Top Table 4 Drawers / Lower Shelf

CODE	CODE	DIMENSIONS
		mm
CD-TPB116L	CD-TPB116R	1000 x 600 x 850
CD-TPB146L	CD-TPB146R	1400 x 600 x 850
CD-TPB166L	CD-TPB166R	1600 x 600 x 850
CD-TPB196L	CD-TPB196R	2000 x 600 x 850



منضدة عمل متنقلة مع رف سفلي Mobile Table / Lower Shelf

CODE	DIMENSIONS
	mm
CD-TCN116H	1100 x 600 x 850
CD-TCN146H	1400 x 600 x 850
CD-TCN166H	1600 x 600 x 850
CD-TCN110H	1100 x 700 x 850
CD-TCN140H	1400 x 700 x 850
CD-TCN160H	1600 x 700 x 850



CODE	DIMENSIONS
	mm
CD-TMT 140	1400 x 700 x 850
CD-TMT 160	1600 x 700 x 850
CD-TMT 190	1900 x 700 x 850
CD-TMT 148	1400 x 800 x 850
CD-TMT 168	1600 x 800 x 850
CD-TMT 198	1900 x 800 x 850
CD-TMT 142	1400 x 1100 x 850
CD-TMT 162	1600 x 1100 x 850
CD-TMT 192	1900 x 1100 x 850



منضدة عمل متنقلة مع رف سفلي و وسطي Mobile Table / Lower And Intermediate Shelves

CODE	DIMENSIONS
	mm
CD-TCA116H	1100 x 600 x 850
CD-TCA146H	1400 x 600 x 850
CD-TCA166H	1600 x 600 x 850
CD-TCA110H	1100 x 700 x 850
CD-TCA140H	1400 x 700 x 850
CD-TCA160H	1600 x 700 x 850





CODE	DIMENSIONS
	mm
CD-TMT 140	1400 x 700 x 850
CD-TMT 160	1600 x 700 x 850
CD-TMT 190	1900 x 700 x 850
CD-TMT 148	1400 x 800 x 850
CD-TMT 168	1600 x 800 x 850
CD-TMT 198	1900 x 800 x 850
CD-TMT 142	1400 x 1100 x 850
CD-TMT 162	1600 x 1100 x 850
CD-TMT 192	1900 x 1100 x 850



منضدة عمل متنقلة مع رف سفلي و درج Mobile Table / Single Drawer / Lower Shelf

CODE	DIMENSIONS
	mm
CD-TCC116H	1100 x 600 x 850
CD-TCC146H	1400 x 600 x 850
CD-TCC110H	1100 x 700 x 850
CD-TCC140H	1400 x 700 x 850

Special production can be made according to your projects

Special production can be made according to your projects



مناضد العمل





طاولة عمل مع دولاب و أدراج قهوة Cupboard Work Table with Coffee Drawers

CODE	DIMENSIONS
	mm
70612801700000	1200 x 600 x 850



طاولة عمل مع أدراج قهوة Work Table with Coffee Drawers

CODE	DIMENSIONS
	mm
70706801800000	600 x 600 x 850
70606801800000	700 x 600 x 850



خزانة العظام / الجرموق Bone / Overshoe Cabinet

CODE	DIMENSIONS
	mm
99130140002	470 x 250 x 820



وحدة البار مع تبريد Bar Module with Cooler

MODEL	DIMENSIONS
	mm
BRN 070	1400 x 700 x 900



حوض البار - وحدة النفايات و الاطباق Bar Sink - Waste and Dish Module

MODEL	DIMENSIONS
	mm
BRW 106	1000 x 600 x 850



حوض البار مع وحدة النفايات Bar Sink and Waste Module

MODEL	DIMENSIONS
	mm
BRV 107	1000 x 700 x 900



وحدة نفايات Bar Waste Module

MODEL	DIMENSIONS
	mm
BRV 108	500 x 700 x 900

Special production can be made according to your projects

Special production can be made according to your projects



مناضد العمل







مجلى احادي Work Table With Single Sink Without Bottom Shelf

CODE	CODE	DIMENSIONS
		mm
CD-E1N 066L	CD-E1N 066R	600 x 600 x 850
CD-E1N 070L	CD-E1N 070R	700 x 700 x 850





Work Table With Single Sink Without Bottom Shelf

CODE	DIMENSIONS	CODE	DIMENSIONS
	mm		mm
CD-E1N 106	1000 x 600 x 850	CD-E1N 107	1000 x 700 x 850
CD-E1N 126	1200 x 600 x 850	CD-E1N 127	1200 x 700 x 850
CD-E1N 146	1400 x 600 x 850	CD-E1N 147	1400 x 700 x 850
CD-E1N 166	1600 x 600 x 850	CD-E1N 167	1600 x 700 x 850
CD-E1N 186	1800 x 600 x 850	CD-E1N 187	1800 x 700 x 850
CD-E1N 206	2000 x 600 x 850	CD-E1N 207	2000 x 700 x 850
CD-E1N 226	2200 x 600 x 850	CD-E1N 227	2200 x 700 x 850
CD-E1N 246	2400 x 600 x 850	CD-E1N 247	2400 x 700 x 850

مرشحة جدارية Wall Type Hood Without Filter

MODEL	DIMENSIONS
WODEL	DIMENSIONS
	mm
CD-DDS 101K	1000x800x500
CD-DDS 151K	1500x800x500
CD-DDS 201K	2000x800x500
CD-DDS 251K	2500x800x500
CD-DDS 301K	3000x800x500
CD-DDS 102K	1000x970x500
CD-DDS 152K	1500x970x500
CD-DDS 202K	2000x970x500
CD-DDS 252K	2500x970x500
CD-DDS 302K	3000x970x500
CD-DDS 352K	3500x970x500
CD-DDS 402K	4000x970x500
CD-DDS 123K	1200x1170x500
CD-DDS 153K	1500x1170x500
CD-DDS 203K	2000x1170x500
CD-DDS 253K	2500x1170x500
CD-DDS 303K	3000x1170x500
CD-DDS 353K	3500x1170x500
CD-DDS 403K	4000x1170x500
CD-DDS 453K	4500x1170x500
CD-DDS 503K	5000x1170x500
CD-DDS 553K	5500x1170x500
CD-DDS 603K	6000x1170x500
CD-DDS 154K	1500x1470x500
CD-DDS 204K	2000x1470x500
CD-DDS 254K	2500x1470x500
CD-DDS 304K	3000x1470x500
CD-DDS 354K	3500x1470x500
CD-DDS 404K	4000x1470x500
CD-DDS 454K	4500x1470x500
CD-DDS 504K	4500x1470x500
CD-DDS 554K	5500x1470x500
CD-DDS 604K	6000x1470x500



CODE	DIMENSIONS	CODE	DIMENSIONS
	mm		mm
CD-E2N 106	1000 x 600 x 850	CD-E2N 107	1000 x 700 x 850
CD-E2N 126	1200 x 600 x 850	CD-E2N 127	1200 x 700 x 850
CD-E2N 146	1400 x 600 x 850	CD-E2N 147	1400 x 700 x 850
CD-E2N 166	1600 x 600 x 850	CD-E2N 167	1600 x 700 x 850
CD-E2N 186	1800 x 600 x 850	CD-E2N 187	1800 x 700 x 850
CD-E2N 206	2000 x 600 x 850	CD-E2N 207	2000 x 700 x 850
CD-E2N 226	2200 x 600 x 850	CD-E2N 227	2200 x 700 x 850
CD-E2N 246	2400 x 600 x 850	CD-E2N 247	2400 x 700 x 850



MODEL	DIMENSIONS
	mm
CD-DDF 101K	1000x800x500
CD-DDF 151K	1500x800x500
CD-DDF 201K	2000x800x500
CD-DDF 251K	2500x800x500
CD-DDF 301K	3000x800x500
CD-DDF 102K	1000x970x500
CD-DDF 152K	1500x970x500
CD-DDF 202K	2000x970x500
CD-DDF 252K	2500x970x500
CD-DDF 302K	3000x970x500
CD-DDF 352K	3500x970x500
CD-DDF 402K	4000x970x500
CD-DDF 123K	1200x1170x500
CD-DDF 153K	1500x1170x500
CD-DDF 203K	2000x1170x500
CD-DDF 253K	2500x1170x500
CD-DDF 303K	3000x1170x500
CD-DDF 353K	3500x1170x500
CD-DDF 403K	4000x1170x500
CD-DDF 453K	4500x1170x500
CD-DDF 503K	5000x1170x500
CD-DDF 553K	5500x1170x500
CD-DDF 603K	6000x1170x500
CD-DDF 154K	1500x1470x500
CD-DDF 204K	2000x1470x500
CD-DDF 254K	2500x1470x500
CD-DDF 304K	3000x1470x500
CD-DDF 354K	3500x1470x500
CD-DDF 404K	4000x1470x500
CD-DDF 454K	4500x1470x500
CD-DDF 504K	4500x1470x500
CD-DDF 554K	5500x1470x500
CD-DDF 604K	6000x1470x500



CODE	DIMENSIONS
	mm
CD-E3N 187	1800 x 700 x 850
CD-E3N 197	1900 x 700 x 850
CD-E3N 207	2000 x 700 x 850
CD-E3N 227	2200 x 700 x 850
CD-E3N 247	2400 x 700 x 850



Special production can be made according to your projects

Special production can be made according to your projects

26 | classdecorkitchen.com classdecorkitchen.com | 27











MODEL	DIMENSIONS
	mm
CD-DOF 154K	1500x1470x500
CD-DOF 204K	2000x1470*500
CD-DOF 254K	2500x1470x500
CD-DOF 304K	3000x1470x500
CD-DOF 354K	3500x1470x500
CD-DOF 404K	4000x1470x500
CD-DOF 454K	4500x1470x500
CD-DOF 504K	5000x1470x500
CD-DOF 554K	5500x1470x500
CD-DOF 604K	6000x1470x500
CD-DOF 256K	2500x1970x500
CD-DOF 306K	3000x1970x500
CD-DOF 356K	3500x1970x500
CD-DOF 406K	4000x1970x500
CD-DOF 456K	4500x1970x500
CD-DOF 506K	5000x1970x500
CD-DOF 556K	5500x1970x500
CD-DOF 606K	6000x1970x500
CD-DOF 258K	2500x2470x500
CD-DOF 308K	3000x2470x500
CD-DOF 358K	3500x2470x500
CD-DOF 408K	4000x2470x500
CD-DOF 458K	4500x2470x500
CD-DOF 508K	5000x2470x500
CD-DOF 558K	5500x2470x500
CD-DOF 608K	6000x2470x500
CD-DOF 309K	3000x2970x500
CD-DOF 359K	3500x2970x500
CD-DOF 409K	4000x2970x500
CD-DOF 459K	4500x2970x500
CD-DOF 509K	5000x2970x500
CD-DOF 559K	5500x2970x500
CD-DOF 609K	6000x2970x500



مرشحة وسطية Island Type Hood Without Filter

CD-DOS 154K CD-DOS 204K CD-DOS 204K CD-DOS 254K CD-DOS 304K CD-DOS 304K CD-DOS 354K CD-DOS 354K CD-DOS 354K CD-DOS 404K CD-DOS 404K CD-DOS 404K CD-DOS 404K CD-DOS 504K CD-DOS 500K CD-DOS 504K CD-DOS 500K CD-DOS 504K CD-DOS 404K CD-DOS 500K CD-DOS 500K CD-DOS 500K CD-DOS 500K CD-DOS 306K CD-DOS 306K CD-DOS 306K CD-DOS 306K CD-DOS 406K CD-DOS 406K CD-DOS 406K CD-DOS 406K CD-DOS 406K CD-DOS 506K CD-DOS 406K CD-DOS 406K CD-DOS 406K CD-DOS 506K CD-DOS 308K CD-DOS 408K CD-DOS 408K CD-DOS 408K CD-DOS 408K CD-DOS 408K CD-DOS 508K CD-DOS 508K CD-DOS 508K CD-DOS 508K CD-DOS 508K CD-DOS 408K CD-DOS 409K CD-DOS 409K CD-DOS 409K CD-DOS 409K CD-DOS 509K CD-DOS 609K CD-DOS 609K CD-DOS 609K	MODEL	DIMENSIONS
CD-DOS 204K CD-DOS 254K CD-DOS 254K CD-DOS 304K CD-DOS 304K CD-DOS 354K 3000x1470x500 CD-DOS 354K 3500x1470x500 CD-DOS 404K 4000x1470x500 CD-DOS 454K 4500x1470x500 CD-DOS 504K 5000x1470x500 CD-DOS 554K 5500x1470x500 CD-DOS 554K 5500x1470x500 CD-DOS 256K CD-DOS 306K CD-DOS 306K CD-DOS 306K CD-DOS 356K 3500x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 358K 4500x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 359K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 559K 5500x2970x500 CD-DOS 559K 5500x2970x500	CD DOS 1EAV	
CD-DOS 254K CD-DOS 304K CD-DOS 304K CD-DOS 354K 3000x1470x500 CD-DOS 454K 4000x1470x500 CD-DOS 454K 4500x1470x500 CD-DOS 504K 5000x1470x500 CD-DOS 554K 5500x1470x500 CD-DOS 554K 5500x1470x500 CD-DOS 556K CD-DOS 356K CD-DOS 356K 3000x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 358K 4500x2470x500 CD-DOS 358K 4500x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 359K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 304K CD-DOS 354K CD-DOS 404K CD-DOS 404K CD-DOS 404K CD-DOS 454K CD-DOS 454K CD-DOS 504K CD-DOS 506K CD-DOS 306K CD-DOS 306K CD-DOS 306K CD-DOS 306K CD-DOS 406K CD-DOS 406K CD-DOS 406K CD-DOS 406K CD-DOS 406K CD-DOS 406K CD-DOS 506K CD-DOS 408K CD-DOS 408K CD-DOS 408K CD-DOS 408K CD-DOS 508K CD-DOS 409K CD-DOS 509K CD-DOS 509K CD-DOS 509K CD-DOS 509K CD-DOS 500K CD-DOS 509K CD-DOS 509K CD-DOS 500K CD-DOS		
CD-DOS 354K CD-DOS 404K CD-DOS 404K CD-DOS 454K CD-DOS 454K CD-DOS 504K CD-DOS 504K CD-DOS 504K CD-DOS 554K CD-DOS 554K CD-DOS 604K CD-DOS 256K CD-DOS 306K CD-DOS 306K CD-DOS 356K CD-DOS 456K CD-DOS 456K CD-DOS 456K CD-DOS 456K CD-DOS 456K CD-DOS 556K CD-DOS 308K CD-DOS 308K CD-DOS 308K CD-DOS 408K CD-DOS 408K CD-DOS 458K CD-DOS 458K CD-DOS 558K CD-DOS 558K CD-DOS 558K CD-DOS 558K CD-DOS 558K CD-DOS 558K CD-DOS 459K CD-DOS 459K CD-DOS 459K CD-DOS 459K CD-DOS 459K CD-DOS 559K S500x2970x500 CD-DOS 559K S500x2970x500 CD-DOS 559K S500x2970x500		
CD-DOS 404K CD-DOS 454K CD-DOS 454K CD-DOS 504K CD-DOS 504K CD-DOS 554K CD-DOS 554K CD-DOS 554K CD-DOS 604K CD-DOS 256K CD-DOS 306K CD-DOS 356K CD-DOS 356K CD-DOS 406K CD-DOS 406K CD-DOS 456K CD-DOS 456K CD-DOS 456K CD-DOS 556K CD-DOS 358K CD-DOS 358K CD-DOS 358K CD-DOS 408K CD-DOS 408K CD-DOS 408K CD-DOS 408K CD-DOS 558K CD-DOS 409K CD-DOS 409K CD-DOS 459K CD-DOS 459K CD-DOS 459K CD-DOS 559K S500x2970x500 CD-DOS 559K S500x2970x500 CD-DOS 559K S500x2970x500		
CD-DOS 454K CD-DOS 504K CD-DOS 504K CD-DOS 504K CD-DOS 554K CD-DOS 604K CD-DOS 604K CD-DOS 256K CD-DOS 306K CD-DOS 306K CD-DOS 356K CD-DOS 456K CD-DOS 456K CD-DOS 456K CD-DOS 556K CD-DOS 308K CD-DOS 308K CD-DOS 408K CD-DOS 408K CD-DOS 408K CD-DOS 458K CD-DOS 458K CD-DOS 558K CD-DOS 459K CD-DOS 459K CD-DOS 459K CD-DOS 459K CD-DOS 459K CD-DOS 559K 5500x2970x500 CD-DOS 559K 5500x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 504K 5000x1470x500 CD-DOS 554K 5500x1470x500 CD-DOS 604K 6000x1470x500 CD-DOS 256K 2500x1970x500 CD-DOS 306K 3000x1970x500 CD-DOS 356K 3500x1970x500 CD-DOS 406K 4000x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 506K 5000x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 606K 6000x1970x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 508K 500x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 459K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 559K 5500x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 554K CD-DOS 604K CD-DOS 604K CD-DOS 256K CD-DOS 306K CD-DOS 306K CD-DOS 356K CD-DOS 356K CD-DOS 456K CD-DOS 456K CD-DOS 456K CD-DOS 456K CD-DOS 506K CD-DOS 506K CD-DOS 506K CD-DOS 506K CD-DOS 506K CD-DOS 506K CD-DOS 556K CD-DOS 556K CD-DOS 556K CD-DOS 606K CD-DOS 258K CD-DOS 308K CD-DOS 308K CD-DOS 308K CD-DOS 308K CD-DOS 458K CD-DOS 508K CD-DOS 458K CD-DOS 458K CD-DOS 458K CD-DOS 508K CD-DOS 508K CD-DOS 508K CD-DOS 459K CD-DOS 459K CD-DOS 459K CD-DOS 459K CD-DOS 559K 5500x2970x500 CD-DOS 559K 5500x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 604K 6000x1470x500 CD-DOS 256K 2500x1970x500 CD-DOS 306K 3000x1970x500 CD-DOS 356K 3500x1970x500 CD-DOS 406K 4000x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 506K 5000x1970x500 CD-DOS 606K 6000x1970x500 CD-DOS 606K 6000x1970x500 CD-DOS 258K 2500x2470x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 4500x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 508K 5500x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 5000x2970x500 CD-DOS 559K 5500x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 256K 2500x1970x500 CD-DOS 306K 3000x1970x500 CD-DOS 356K 3500x1970x500 CD-DOS 406K 4000x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 506K 5000x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 606K 6000x1970x500 CD-DOS 258K 2500x2470x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 508K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 306K 3000x1970x500 CD-DOS 356K 3500x1970x500 CD-DOS 406K 4000x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 506K 5000x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 606K 6000x1970x500 CD-DOS 258K 2500x2470x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 459K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 356K 3500x1970x500 CD-DOS 406K 4000x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 506K 5000x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 606K 6000x1970x500 CD-DOS 258K 2500x2470x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 406K 4000x1970x500 CD-DOS 456K 4500x1970x500 CD-DOS 506K 5000x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 606K 6000x1970x500 CD-DOS 258K 2500x2470x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 456K 4500x1970x500 CD-DOS 506K 5000x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 606K 6000x1970x500 CD-DOS 258K 2500x2470x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 459K 5000x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 506K 5000x1970x500 CD-DOS 556K 5500x1970x500 CD-DOS 606K 6000x1970x500 CD-DOS 258K 2500x2470x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 556K 5500x1970x500 CD-DOS 606K 6000x1970x500 CD-DOS 258K 2500x2470x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 606K 6000x1970x500 CD-DOS 258K 2500x2470x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 258K 2500x2470x500 CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 308K 3000x2470x500 CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 358K 3500x2470x500 CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 408K 4000x2470x500 CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 458K 4500x2470x500 CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 508K 5000x2470x500 CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 558K 5500x2470x500 CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 608K 6000x2470x500 CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 309K 3000x2970x500 CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 359K 3500x2970x500 CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 409K 4000x2970x500 CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 459K 4500x2970x500 CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 509K 5000x2970x500 CD-DOS 559K 5500x2970x500		
CD-DOS 559K 5500x2970x500		



مرشحة جدارية ذات فلاتر / منفذ الهواء النقي Hood / Wall Type / With Air Curtain

MODEL	DIMENSIONS
	mm
CD-DDH 101	1000x800x500
CD-DDH 151	1500x800x500
CD-DDH 201	2000x800x500
CD-DDH 251	2500x800x500
CD-DDH 301	3000x800x500
CD-DDH 102	1000x970x500
CD-DDH 152	1500x970x500
CD-DDH 202	2000x970x500
CD-DDH 252	2500x970x500
CD-DDH 302	3000x970x500
CD-DDH 352	3500x970x500
CD-DDH 402	4000x970x500
CD-DDH 123	1200x1170x500
CD-DDH 153	1500x1170x500
CD-DDH 203	2000x1170x500
CD-DDH 253	2500x1170x500
CD-DDH 303	3000x1170x500
CD-DDH 353	3500x1170x500
CD-DDH 403	4000x1170x500
CD-DDH 453	4500x1170x500
CD-DDH 503	5000x1170x500
CD-DDH 553	5500x1170x500
CD-DDH 603	6000x1170x500
CD-DDH 154	1500x1470x500
CD-DDH 204	2000x1470x500
CD-DDH 254	2500x1470x500
CD-DDH 304	3000x1470x500
CD-DDH 354	3500x1470x500
CD-DDH 404	4000x1470x500
CD-DDH 454	4500x1470x500
CD-DDH 504	5000x1470x500
CD-DDH 554	5500x1470x500
CD-DDH 604	6000x1470x500



مرشحة وسطية ذات فلاتر / منفذ الهواء النقي Hood / Island Type / With Air Curtain

MODEL	DIMENSIONS
	mm
CD-DOH 254	2500x1470x500
CD-DOH 304	3000x1470x500
CD-DOH 354	3500x1470x500
CD-DOH 404	4000x1470x500
CD-DOH 454	4500x1470x500
CD-DOH 504	5000x1470x500
CD-DOH 554	5500x1470x500
CD-DOH 604	6000x1470x500
CD-DOH 256	2500x1970x500
CD-DOH 306	3000x1970x500
CD-DOH 356	3500x1970x500
CD-DOH 406	4000x1970x500
CD-DOH 456	4500x1970x500
CD-DOH 506	5000x1970x500
CD-DOH 556	5500x1970x500
CD-DOH 606	6000x1970x500
CD-DOH 258	2500x2470x500
CD-DOH 308	3000x2470x500
CD-DOH 358	3500x2470x500
CD-DOH 408	4000x2470x500
CD-DOH 458	4500x2470x500
CD-DOH 508	5000x2470x500
CD-DOH 558	5500x2470x500
CD-DOH 608	6000x2470x500
CD-DOH 658	6500x2470x500

Special production can be made according to your projects


Special production can be made according to your projects



Carrying Equipments

معدات النقل والتخزين

رف تخزین ثابت Multiple Storey Shelves





رف جدار*ي* Wall Shelf

CODE	DIMENSIONS
	mm
CD-RRN 803	800 x 300 x 30
CD-RRN 103	1000 x 300 x 30
CD-RRN 123	1200 x 300 x 30
CD-RRN 143	1400 x 300 x 30
CD-RRN 163	1600 x 300 x 30
CD-RRN 183	1800 x 300 x 30
CD-RRN 203	2000 x 300 x 30
CD-RRN 223	2200 x 300 x 30
CD-RRN 243	2400 x 300 x 30



تعليق اللحوم Meat Hanging Pipe

There are 4 hanging hooks.

The hanger pipe is Ø25*1.5 mm, the wall-mounted sheets are made of 3.00 mm AISI 304 quality stainless steel pipe.

Hooks are manufactured from Ø6 mm AISI 304 quality

Carrying Equipments معدات النقل والتخزين



خزانة جدارية ذات ابواب منزلقة Wall Cupboard With Sliding Door And Intermediate Shelf



CODE	DIMENSIONS
	mm
CD-RDD 100	1000 x 400 x 600
CD-RDD 120	1200 x 400 x 600
CD-RDD 140	1400 x 400 x 600
CD-RDD 160	1600 x 400 x 600
CD-RDD 180	1800 x 400 x 600
CD-RDD 200	2000 x 400 x 600
CD-RDD 220	2200 x 400 x 600
CD-RDD 240	2400 x 400 x 600

خزانة جدارية بدون ابواب Wall Cupboard without Door



CODE	DIMENSIONS
	mm
CD-RDA 100	1000 x 400 x 600
CD-RDA 120	1200 x 400 x 600
CD-RDA 140	1400 x 400 x 600
CD-RDA 160	1600 x 400 x 600
CD-RDA 180	1800 x 400 x 600
CD-RDA 200	2000 x 400 x 600
CD-RDA 220	2200 x 400 x 600
CD-RDA 240	2400 x 400 x 600



خزانة عمودية Ingredient Cabinet

CODE	DIMENSIONS
	mm
CD-RMD 10040	1000 x 400 x 1600
CD-RMD 10050	1000 x 500 x 1600
CD-RMD 10060	1000 x 600 x 1600
CD-RMD 12040	1200 x 400 x 1600
CD-RMD 12050	1200 x 500 x 1600
CD-RMD 12060	1200 x 600 x 1600
CD-RMD 14040	1400 x 400 x 1600
CD-RMD 14050	1400 x 500 x 1600
CD-RMD 14060	1400 x 600 x 1600

Special production can be made according to your projects

stainless steel shaft.

Special production can be made according to your projects



Carrying Equipments

معدات النقل والتخزين

Carrying Equipments معدات النقل والتخزين







CODE	DIMENSIONS
	mm
CD-RED 126	1200 x 600 x 1600





CODE	DIMENSIONS
	mm
CD-ASN 100	800 x 600 x 950





CODE	DIMENSIONS
	mm
CD-ASN 200	800 x 600 x 950





CODE	DIMENSIONS
	mm
CD-C609	880 x 600 x 930





CODE	DIMENSIONS
	mm
CD-AMK 100	410 x 460 x 620
CD-AMK 200	550 x 735 x 620





CODE	DIMENSIONS
	mm
ACP 100	400 x 500 - 50 Lt.
ACP 200	500 x 600 - 90 Lt.





CODE	DIMENSIONS
	mm
CD-ASB 100	600 x 500 x 700

Special production can be made according to your projects

Special production can be made according to your projects



Carrying Equipments معدات النقل والتخزين

ABT 200

Carrying Equipments معدات النقل والتخزين





عربة نقل القدور Pot Trolley

CODE	DIMENSIONS
	mm
CD-KZ 100	600 x 600 x 570
CD-AKZ 200	600 x 700 x 850



عربة نقل الاواني المتسخة Dish Collecting Trolley

CODE	DIMENSIONS
	mm
CD-ABT 100	800x500x950 60 Pool Depth
CD-ABT 200	800x500x950 120 Pool Depth



عربة نقل الصواني Tray Collecting Trolley

CODE	DIMENSIONS
	mm
CD-ATG 100	670x595x1650 GN 2/1x65 mm For Tray
CD-ATT 100	400x600 mm(Tray) , 460x625x1650 mm

عربة نقل الصواني Tray Collecting Trolley

CODE	DIMENSIONS
	mm
CD-ATK 100	590 x 775 x 1500
CD-ATK 200	835 x 560 x 1500



عربة نقل اللحوم Meat Deicing Trolley

CODE DIMENSIONS	
-----------------	--

CD-AEC 100 6 Shelves , GN2/1x150mm



عربة تعليق اللحوم Meat Hanging Trolley

CODE	DIMENSIONS
	mm
CD-AEA 100	1200 x 600 x 1750



عربة نقل المواد Flour And Sugar Trolley

MODEL CODE	DIMENSIONS
	mm
CD-GN 100	560x355x500 1x1/1GN
CD-AGN 200	680x560x500 1x2/1GN
CD-AGN 201	680x560x700 1x2/1GN



عربة تعليق اللحوم Meat Hanging Trolley for Cold Rooms

Special production can be made according to your projects

Special production can be made according to your projects



Service Equipments قسم معدات الخدمة











وحدة تقديم الملاعق والسكاكين Cutlery Unit

CODE	DIMENSIONS
	mm
CD-KKN 073	700 x700x1300
CD-KKN 076	700x700x1300



وحدة تقديم الملاعق والسكاكين Cutlery Shelf

CODE	DIMENSIONS
	mm
CD-KKR 063	600x400x450
CD-KKR 066	600x650x550
CD-KKR 084	800x400x450



وحدة تقديم الملاعق والسكاكين

Cutlery Unit with / Bft Tray Slider / Gn Shelf

CODE	DIMENSIONS
	mm
CD-KKF 060	600 x700 x1300



طاولة الخدمة ذو رف و خزانة Service Table with Intermediate Shelf with Cabinet

CODE	DIMENSIONS
	mm
CD-KTD 100	1000x700x850
CD-KTD 120	1200x700x850
CD-KTD 140	1400x700x850
CD-KTD 160	1600x700x850
CD-KTD 180	1800x700x850
CD-KTD 190	1900x700x850

Special production can be made according to your projects

classdecorkitchen.com | 37 36 | classdecorkitchen.com



Service Equipments

قسم معدات الخدمة

Shelf

Service Equipments قسم معدات الخدمة








CODE	DIMENSIONS
	mm
CD-KTN 040	400x700x850
CD-KTN 050	500x700x850
CD-KTN 060	600x700x850
CD-KTN 070	700x700x850
CD-KTN 080	800x700x850
CD-KTN 090	900x700x850
CD-KTN 100	1000x700x850
CD-KTN 110	1100x700x850
CD-KTN 120	1200x700x850
CD-KTN 130	1300x700x850
CD-KTN 140	1400x700x850
CD-KTN 150	1500x700x850
CD-KTN 160	1600x700x850
CD-KTN 170	1700x700x850
CD-KTN 180	1800x700x850
CD-KTN 190	1900x700x850
VKTN 200	2000x700x850
CD-KTN 210	2100x700x850
CD-KTN 220	2200x700x850
CD-KTN 230	2300x700x850
CD-KTN 240	2400x700x850





طاولة خدمة ذو خزانة ساخنة Service Table with Hot Cabinet

- All made of 304 quality stainless sheet
- Standard cutlery dimensions
- Manufacturing in desired dimensions
- It can be manufactured according to the desired number of containers.
- GN Containers are not included in the price.







وحدة الخدمة الساخنة Hot Service Unit

CODE	DIMENSIONS
	mm
CD-KSN 080	800x700x850
CD-KSN 120	1200x700x850
CD-KSN 150	1500x700x850
CD-KSN 160	1600x700x850
CD-KSN 193L	1900x700x850
CD-KSN 194L	1900x700x850
CD-KSN 195	1900x700x850

وحدة الخدمة الساخنة مع خزانة ساخنة Hot Service Unit with Hot Cabinet

CODE	DIMENSIONS
	mm
CD-KSS 120	800x700x850
CD-KSS 150	1200x700x850
CD-KSS 160	1500x700x850
CD-KSS 193L	1600x700x850
CD-KSS 193R	1900x700x850
CD-KSS 195	1900x700x850
CD-KSN 195	1900x700x850

طاولة خدمة بزواية مختلفة Corner Type Service Table with Intermediate Shelf

CODE	DIMENSIONS
	mm
CD-KTK 030D	External Angle 30°
CD-KTK 030I	Intermediate Shelf Internal Angle 30°
CD-KTK 045D	External Angle 30°
CD-KTK 045I	Intermediate Shelf Internal Angle 30°
CD-KTK 060D	External Angle 30°
CD-KTK 060I	Intermediate Shelf Internal Angle 30°
CD-KTK 090D	External Angle 30°
CD-KTK 090I	Intermediate Shelf Internal Angle 30°



Special production can be made according to your projects



Service Equipments قسم معدات الخدمة

Service Equipments قسم معدات الخدمة



DIMENSIONS

mm 1000x700x850

1400x700x850 1900x700x850



وحدة الخدمة الساخنة مع رف خدمة ورف صواني **Hot Service Unit** with Stand + Shelf

CODE	DIMENSIONS	
	mm	
CD-KSF 190	1900x700x850	
CD-KSF 240	2400x700x850	



وحدة الخدمة الباردة Cold Service Unit

براد خدمة Cold Service Unit

CODE

CD-KBN 100 CD-KBN 140



CODE	DIMENSIONS	
	mm	
CD-KBK 120	1200x700x850	
CD-KBK 150	1500x700x850	
CD-KBK 180	1800x700x850	
CD-KBK 210	2100x700x850	

Cooling and Gn Containers 1/1 150 Included



وحدة الخدمة الباردة Cold Service Unit with Well

CODE	DIMENSIONS
	mm
CD-BH 120	1200x700x850
CD-KBH 150	1500x700x850
CD-KBH 180	1800x700x850
CD-KBH 210	2100x700x850

Refrigerator Included



CODE	DIMENSIONS	
	mm	
CD-KGD 090	900x400x850	
CD-KGD 100	1000x400x850	
CD-KGD 110	1100x400x850	
CD-KGD 120	1200x400x850	
CD-KGD 130	1300x400x850	
CD-KGD 140	1400x400x850	
CD-KGD 150	1500x400x850	
CD-KGD 160	1600x400x850	
CD-KGD 170	1700x400x850	
CD-KGD 180	1800x400x850	
CD-KGD 190	1900x400x850	

وحدة الخدمة الساخنة مع رف خدمة ورف صواني Hot Service Unit with Stand + Shelf

CODE	DIMENSIONS
	mm
CD-KSF 190	1900x700x850
CD-KSF 240	2400x700x850

DIMENSIONS

mm 800x700x850

1200x700x850

وحدة الخدمة الساخنة ذو سطح مستوي **Hot Plate Unit**



منضدة الكاشير Cashier Unit

CODE

CD-KSP 080 CD-KSP 120

- casiner c	Casiner offic	
CODE	DIMENSIONS	
	mm	
CD-KPN 120L	1200x700x850	
CD-KPN 120R	1200x700x850	
CD-KPN 140L	1400x700x850	
CD-KPN 140R	1400x700x850	





Special production can be made according to your projects

Special production can be made according to your projects

40 | classdecorkitchen.com classdecorkitchen.com | 41



Service Equipments قسم معدات الخدمة

طاولة الخدمة نو رف Waiter's Counter with Intermediate Shelf





طاولة خدمة ذو خزانة ساخنة Waiter's Counter with **Hot Cabinet**

CD-KGN 230

CD-KGN 240

_	
CODE	DIMENSIONS
	mm
CD-KGS 120	1200x400x850
CD-KGS 160	1600x400x850
CD-KGS 190	1900x400x850

2300x400x850

2400x400x850



CODE	DIMENSIONS	
	mm	
CD-KRN 080	800x400x450	
CD-KRN 090	900x400x450	
CD-KRN 100	1000x400x450	
CD-KRN 110	1100x400x450	
CD-KRN 120	1200x400x450	
CD-KRN 130	1300x400x450	
CD-KRN 140	1400x400x450	
CD-KRN 150	1500x400x450	
CD-KRN 160	1600x400x450	
CD-KRN 170	1700x400x450	
CD-KRN 180	1800x400x450	
CD-KRN 190	1900x400x450	







رف للكاؤوس Service Shelf / Double with Front Glass

CODE	DIMENSIONS
	mm
CD-KRB 061	600x600x450
CD-KRB 062	600x600x500
CD-KRB 063	600x600x650



سلاط بار Salad Bar

CODE	DIMENSIONS	DIMENSIONS
	mm	kg
CD-KCH120	1800 x 1300 x 1400	99
CD-KCH160	2200 x 1300 x 1400	118



رف للكأؤوس **Display Unit**

CODE	DIMENSIONS
	mm
CD-KRB 061	600x600x450
CD-KRB 062	600x600x500
CD-KRB 063	600x600x650

Refrigerator Included



42 | classdecorkitchen.com classdecorkitchen.com | 43



مستلزمات المختبرات والمستشفيات







خزانة الادوات والادوية Instrument and Drug Cupboard

- For entire sterilization required centers
- Grade 304 Stainless Steel
- · Stainless steel adjustable feet
- · Lockable glass doors and 3 Shelves and bottom
- Dimensions: 45 x 90 x 180cm

Special production can be made according to your projects



خز انة الادوات

Hygienic Lockers

- For entire sterilization required centres
- Grade 304 stainless steel
- Stainless steel adjustable feet
- Lockable doors
- Flexible production in different designs and dimensions
- Dimensions: 45 x 90 x 180 cm

Special production can be made according to your projects



دولاب غرفة العمليات

Operating Theatre Cupboard

- For entire sterilization required centers
- Grade 304 Stainless Steel
- · Stainless steel adjustable feet
- Lockable glass doors and 2 shelves
- 2 drawers and a cupboard on the bottom
- Flexible production in different designs and dimensions
- Dimensions: 45 x 90 x 180 cm

Special production can be made according to your projects



خزائن صحية

Hygienic Lockers

- For entire sterilization required centres
- It is lockable
- There is a compartment for the items to breathe
- The feet of the product can be adjusted according to the floor
- It has an ergonomic design
- Flexible production in different designs and dimensions

Special production can be made according to your projects



مستلزمات المختبرات والمستشفيات

منتج معقم وسلة وعربة حاوية

Sterilized Product, Basket and Container Trolley

- For entire sterilization required centres
- · Grade 304 stainless steel
- Doors swing open up to 270° and give complete access to the trolley
- Optional adjustable container shelves
- Removable middle shelf, four castors with two brakes
- Dimensions: 68 x 126 x 128 cm.

Special production can be made according to your projects

عربة المنتج المعقم

Sterilized Product Trolley

- For entire sterilization required centres
- Grade 304 stainless steel
- 4 wheels with 2 breaks
- Lockable doors and pushing handle
- Flexible production in different designs and dimensions
- Dimensions: 60 x 80 x 85 cm
- Dimensions: 65 x 120 x 110 cm

Special production can be made according to your projects

عربة تضميد للطوارئ

Emergency Dressing Trolley

- For entire sterilization required centres
- Grade 304 stainless steel
- 4 wheels with 2 breaks
- Ajustable stainless steel bowl
- · Dustbin with pedal
- Flexible production in different designs and dimensions
- \bullet Dimensions: 55 x 86 x 90 cm

Special production can be made according to your projects



عربة متعددة الاغراض

Multi Purpose Dressing Cart

- For entire sterilization required centres
- Grade 304 stainless steel
- Push Handle
- Glass bottles, cotton jar, tweezers on top
- Removable side tray and bowl
- The dustbin on side to easier use
- Four castors with two brakes
- Dimensions: 43 x 58 x 87 cm.

Special production can be made according to your projects

Hospital & Labaratory Equipments

مستلزمات المختبرات والمستشفيات



عربة الملابس مع خزانة

Dressing Trolley with Cabinet

- For entire sterilization required centres
- Grade 304 stainless steel
- There are serum bottle holders on the upper table
- 3 drawers, 2 cabinets
- There is a detachable 12 lt trash can
- 4 360° rotating wheels, two of which can be fixed, two with brakes
- Flexible production in different designs and dimensions

Special production can be made according to your projects



عربة الأدوية والمواد

Medicine and Material Trolley

- For entire sterilization required centres
- · Grade 304 stainless steel
- 6 drawers, 1 cabinet and top plate barrier
- Telescopic rail system in drawers
- Flexible production in different designs and dimensions

Special production can be made according to your projects



عربة سلة وحاوية Basket and Container Trollev

- For entire sterilization required centres
- Grade 304 stainless steel
- 4 wheels with 2 breaks
- Flexible production in different designs and dimensions
- Dimensions: 70 x 107 x 134 cm

Special production can be made according to your projects



عربة الأدوات


■ Instruments Trolley

- For entire sterilization required centres
- Grade 304 stainless steel
- 4 wheels with 2 breaks
- Flexible production in different designs and dimensions
- Dimensions: 55 x 86 x 90 cm

Special production can be made according to your projects



مستاز مات المختبر ات و المستشفيات







عربة الادوات (2 رفوف)

Instrument Trolley (2 Shelve)

- For entire sterilization required centres
- Grade 304 stainless steel
- 4 wheels with 2 breaks
- 2 shelves
- Flexible production in different designs and dimensions
- Dimensions: 55 x 86 x 90 cm

Special production can be made according to your projects



عربة الادوات (3 رفوف)

■ Instrument Trolley (3 Shelve)

- For entire sterilization required centres
- Grade 304 stainless steel
- 4 wheels with 2 breaks, 3 shelves
- Flexible production in different designs and dimensions
- Dimensions: 55 x 86 x 90 cm

Special production can be made according to your projects



عربة الأدوات (مع مجرات)

Instruments Trolley(with drawers)

- For entire sterilization required centres
- Grade 304 stainless steel
- 4 wheels with 2 breaks
- · One drawer for instrument storage
- Flexible production in different designs and dimensions
- Dimensions: 55 x 86 x 90 cm

Special production can be made according to your projects



أداة و عربة خلع الملابس مع حواجز

Instrument and Dressing Trolley with Barriers

- For entire sterilization required centres
- Grade 304 stainless steel
- Three shelves with three barriers for each
- One piece drawer
- Pushing Handle for easy movement
- Four castors with two brakes
- Dimensions: 80 x 50 x 90 cm.

Special production can be made according to your projects



أداة و عربة خلع الملابس مع حواجز Instrument and Dressing Trolley with Barriers

- For entire sterilization required centres
- Grade 304 stainless steel
- Two shelves with three barriers for each
- One piece drawer
- · Pushing Handle for easy movement
- Four castors with two brakes
- Dimensions: 80 x 50 x 90 cm.

Special production can be made according to your projects



عربة الادوات مع حواجز Instrument Trollev with Barriers

· For entire sterilization required centres

- Grade 304 stainless steel
- 2 tiers, sides are 10 cm high
- Pushing Handle for easy movement
- Four castors with two brakes
- Dimensions: 55 x 88 x 90 cm. Special production can be made

according to your projects



عربة الادوات مع حواجز

Instrument Trolley With Barriers

- · For entire sterilization required centres
- Grade 304 stainless steel
- 2 tiers, sides are 15cm high
- Pushing handle
- 4 castors with 2 breaks
- Dimensions: 55 x 86 x 90 cm

Special production can be made according to your projects



جدول الأدوات

Instrument Table

- For entire sterilization required centres
- Grade 304 stainless steel
- Four castors with two brakes
- Flexible production in different designs and dimensions
- Dimensions: 55 x 88 x 90 cm / 63 x 63 x 90 cm / 63 x 88 x 90 cm.

Special production can be made according to your projects

48 | classdecorkitchen.com classdecorkitchen.com | 49



مستلز مات المختبر ات و المستشفيات

Hospital & Labaratory Equipments مستلزمات المختبرات والمستشفيات





عربة الجثة Cadaver Trolley

- For entire sterilization required centres
- · Grade 304 stainless steel
- Cadaver trolley is ddesigned for easy movement and work in conjunction with morgue unit
- Four castors with two brakes
- Dimensions: 68 x 215 x 50 cm

Special production can be made according to your projects



جدول العمل Working Table

- For entire sterilization required centres
- · Grade 304 stainless steel
- · Stainless steel adjustable feet
- · Flexible production in different designs and dimensions

Special production can be made according to your projects



عربة صينية حرارية Isothermal Tray Trolley

- For entire sterilization required centres
- Grade 304 stainless steel
- 4 wheels with 2 breaks
- Flexible production in different designs and dimensions
- Dimensions: 70 x 107 x 134 cm

Special production can be made according to your projects



عربة النعال Slippers Trolley

- For entire sterilization required centres
- Grade 304 stainless steel
- Four castors with two brakes
- 6 shelves and 24 pairs of slipper capacity
- Flexible production in different designs and dimensions
- Dimensions: 48 x 96 x 180 cm

Special production can be made according to your projects



طاولة العمل المتنقلة Mobile Working Table

- For entire sterilization required centres
- Grade 304 stainless steel
- Four castors with two brakes
- Flexible production in different designs and dimensions

Special production can be made according to your projects



عربة جمع النفايات الطبية

■ Medical Waste Collection Trolley

- For entire sterilization required centres
- Grade 304 stainless steel
- Four castors with two brakes
- Sliding or swing up lid option
- Custom made production in different sizes and designs
- Dimensions: 70 x 130 x 95 cm

Special production can be made according to your projects



مستلز مات المختبر ات و المستشفيات







ميز عمل Working Table

- For entire sterilization required centres
- Grade 304 stainless steel
- · Stainless steel adjustable feet
- Flexible production in different designs and dimensions
- Dimensions: 60 x 130 x 85 cm

Special production can be made according to your projects



طاولة عمل مع أدراج بلوك Working Table with block drawers

- For entire sterilization required centres
- Grade 304 stainless steel
- Stainless steel adjustable feet
- Three drawers open area under the table
- Flexible production in different designs and dimensions
- Dimensions: 60 x 130 x 85 cm

Special production can be made according to your projects



میز عمل Working Table

- For entire sterilization required centres
- Grade 304 stainless steel
- Adjustable stainless steel metal casted feet
- · Able to store the instruments with base rack
- Flexible production in different designs and dimensions
- Dimensions: 60 x 130 x 85 cm

Special production can be made according to your projects



طاولة عمل مع أدراج + خزانة

Working Table with block of drawers + cabinet

- For entire sterilization required centres
- Grade 304 stainless steel
- Stainless steel adjustable feet
- Four castors with two brakes
- Cupboard with two doors and drawers
- Flexible production in different designs and dimensions
- Dimensions: 60 x 130 x 85 cm

Special production can be made according to your projects



طاولة عمل مع درجين Working Table with 2 drawers

- For entire sterilization required centres
- Grade 304 stainless steel
- Stainless steel adjustable feet, two drawers
- Flexible production in different designs and dimensions
- Dimensions: 60 x 130 x 85 cm

Special production can be made according to your projects



طاولة التعبئة Packing Table

- For entire sterilization required centres
- Grade 304 stainless steel
- Four castors with two brakes
- Rubber pads at 4 corners of the table against bumps
- Flexible production in different designs and dimensions

Special production can be made according to your projects



مستلزمات المختبرات والمستشفيات



طاولة خفيفة Light Table

- For entire sterilization required centres
- Grade 304 stainless steel
- Four castors with two brakes
- Top plate is removable and light-transmitting plexiglass
- There are lighting lamps on the upper table.
- Button for turning the lamps on and off
- Flexible production in different designs and dimensions

Special production can be made according to your projects



جدول قبول و مراقبة البضائع مع الأدراج Control Table with drawers

- For entire sterilization required centres
- Grade 304 stainless steel
- 3 block drawers
- Used in the packaging process
- The table where the usability examinations of medical and surgical instruments are made
- Flexible production in different designs and dimensions
 Special production can be made
 according to your projects



جدول قبول و مراقبة البضائع مع خزانة

Control Table with cabinet

- For entire sterilization required centres
- Grade 304 stainless steel
- 3 block drawers, Lockable doors and pushing handle
- Used in the packaging process
- The table where the usability examinations of medical and surgical instruments are made
- Flexible production in different designs and dimensions
 Special production can be made
 according to your projects



طاولة التعبئة

Packing Table

- For entire sterilization required centres
- Grade 304 stainless steel
- 2 shelves system with barrier and single drawer
- Side basket for packed material
- Optional lighted up magnifying glass
- Flexible production in different designs and dimensions
- Dimensions: 70 x 180 x 90 cm

Special production can be made according to your projects

Hospital & Labaratory Equipments

مستلز مات المختبرات والمستشفيات





خزانة مغلفة مع غطاء Cap, Bonnet and Mask Cupboard

- For entire sterilization required centres
- Grade 304 stainless steel
- Footed or Wheeled options
- Clean cap, bonnet, mask section
- Waste section at the bottom
- Dimensions: 25 x 60 x 120 cm
 Special production can be made according to your projects



أداة وعداد ما قبل الغسيل

Instrument and Pre-Washing Counter

- For entire sterilization required centres
- Grade 304 stainless steel
- · Barrier for liquid splashes
- Stainless steel adjustable feet
- Flexible production in different designs and dimensions
 Special production can be made
 according to your projects



منضدة ما قبل الغسيل مع أدراج Instrument and Pre-Washing Counter with drawers

- For entire sterilization required centres
- Grade 304 stainless steel
- Barrier for liquid splashes
- Stainless steel adjustable feet
- 3 block drawers
- Flexible production in different designs and dimensions
 Special production can be made
 according to your projects



مستلز مات المختبر ات و المستشفيات





حوض غسل ممسحة Mop Washing Sink

- For entire sterilization required places
- Grade 304 stainless steel
- Molded wide and deep sink
- Back side is raised to prevent water drips
- Dimensions: 60 x 65 x50/91 cm 70 x 75 x 50/91 cm

Special production can be made according to your projects



حوض غير قابل للصدأ

Stainless Washbasin

- For entire sterilization required centres
- Grade 304 stainless steel
- No battery

Special production can be made according to your projects



حوض غير قابل للصدأ (نوع الجدار)

Stainless Washbasin (Wall Type)

- For entire sterilization required centres
- Grade 304 stainless steel
- Knee operated, single or temperature controlled double
- · Liquid soap dispenser mounted on high backrest,
- Dimensions: 40 x 40 x 22,5 cm

Special production can be made according to your projects



بالوعة ستلنس ستبل المقاوم للصدأ

Stainless Steel Sink

- For entire sterilization required centres
- Grade 304 stainless steel
- Foot operated flow system
- Water temperature adjustment valve
- Wall mounted
- Dimensions: 45 x 50 x 85 cm

Special production can be made according to your projects



مستلز مات المختبر ات و المستشفيات





- For entire sterilization required centres
- Grade 304 stainless steel
- Optional mobile or fixed
- Solid or wire grid shelve options
- Modular construction, adjustable shelve intervals
- Dismountable shelves

Special production can be made according to your projects



رف الجداري Wall Shelf

- For entire sterilization required centres
- Grade 304 stainless steel
- Wall mounted
- Flexible production in different designs and dimensions

Special production can be made according to your projects



خطوة القدم (مفردة/مزدوجة)

Foot Step (Single / Double)

- For entire sterilization required centres
- Grade 304 stainless steel
- Single Dimensions: 30 x 60 x 20 cm
- Double Dimensions: 60 x 60 x 40 cm

Special production can be made according to your projects



منشفة ورقية موزع

Z Fold Paper Towel Dispencer

- For entire sterilization required centres
- Grade 304 stainless steel
- Fold Paper Towel Dispenser (400 capacity)
- Dimensions: 10 x 26,5 x 36,5 cm
- Fold Paper Towel Dispenser (200 capacity)
- Dimensions: 10 x 26.5 x 20.5 cm

Special production can be made according to your projects

classdecorkitchen.com | 57 56 | classdecorkitchen.com



مستلزمات المختبرات والمستشفيات







الة توزيع المناشف الورقية المركبة (سلة المهملات)

Combined Paper Towel Dispencer (Trash Can)

- For entire sterilization required centres
- Grade 304 stainless steel
- Laser cutting manufacture, lockable toweling section
- With internal waste basket
- Dimensions: 18,5 x 26,5 x 100 cm

Special production can be made according to your projects



سلة المهملات غطاء دوار

Swinging Cover Thrash Can

- For entire sterilization required centres
- Grade 304 stainless steel
- · User friendly with swinging roof cover

Special production can be made according to your projects



دلو دفع Kick Bucket

PRODUCT NAME
Waste Bin 30x32 with bucket, with cover, with clip, with handle 20 lt
Контейнер для мусора 30х32 с ведром, с крышкой, с зажимом, с ручкой, 20 л
Waste Bin 36x36 with bucket, with cover, with clip, with handle 36 lt
Контейнер для мусора 36х36 с ведром, с крышкой, с зажимом, с ручкой, 36 л
Waste Bin 40x40 with bucket, with cover, with clip, with handle 50 lt
Контейнер для мусора 40х40 с ведром, с крышкой, с зажимом, с ручкой, 50 л



عربة نفايات Waste Trolley

MODEL	DIMENSIONS
	mm
ACP 100	400 x 500 - 50 Lt.
ACP 200	500 x 600 - 90 Lt.



خزان میاه Water Tank



Special production can be made according to your projects









CLASS DECOR

Industrial Kitchen Equipments














Professional Kitchen Projects

Restaurant Projects - Hotel Projects - Cafe Projects - School Projects Hospital Projects - Construction Camp Cusine Project - Design Projects





CLASS DECOR

www.classdecorkitchen.com

Factory

Northern Industrial Zone Sheikh Ahmed Str. Erbil - IRAQ +964 750 207 0180 info@classdecorkitchen.com

Erbil Branch

100 meter str. Opposite Famiy Mall Erbil - IRAQ +964 750 207 0182 erbil@classdecorkitchen.com

Sulaymaniyah Branch

Malik Mahmoud str. Banawsha Building Near Garden City Sulaymaniyah - IRAQ +964 750 207 0183 sulaymaniyah@classdecorkitchen.com

